Declassified in Part - Sanitized Copy Approved for Release 2014/05/14 : CIA-RDP78-03153A001800030034-5

SECURITY INFORMATION

Declassified in Part - Sanitized Copy Approved for Release 2014/05/14 : CIA-RDP78-03153A001800030034-5

SECRET

,		ROUTING	AND REC	CORD SHEET
INSTRUCTIONS: Officer and each comment num before further routing.	bered to correspond	d with the number in	the "TO" colum	der each comment a line should be drawn across sheet nn. Each officer should initial (check mark insufficient) o Registry.
FROM:	,~,~	<del>V</del>	···	NO.
(40) $(40)$	E-1	, 0	. •	DATE 13 Dec 1951
LB/ TO	ROOM NO.	DATE REC'D FWD'D	OFFICER'S INITIALS	COMMENTS
" EE	,		BA	I have talkef in 50X1 RD, re this.
2. <b>C</b> /			97	50X
3. APB			ME	
" Frile:	APB)	thop zor	re + Fri	ld Marking Equipl 50X1
5.			-	
6.		-		Called on 2 Jan '52 acknowledging recept acknowledging recept and anforming him that work is progress, and also that a report will be forthcoming on be when something can be
7.				of request and informan
8.				and also that a report
9.			-	when something adjected.
10.				0 RIFE
11.				•
12.				
13.				
14.				
15.		,		
			,	

Declassified in Part - Sanitized Copy Approved for Release 2014/05/14 : CIA-RDP78-03153A001800030034-5

SECRET

13 December 1951

MEMORANDUM FOR:	CHIEF, RESEARCH & DEVELOPMENT	
VIA:		50X1
SUBJECT:	Drop Zone Beacons	
ance with recent of ing Section of Resthat R&D investigated ground reception of parachute operation infra red or other to an aircraft fly	an urgent need for a dron zone beacon. In accord- discussions between	50X1
	to meet our spring operations requirements it is is beacon be developed before 1 February 1952.  may be contacted for any further informatest.	50X1
		50X1
	Chief, EE-1	
cc		50X1

المنسوطان

13 December 1951

MEMURANDUM FUR:	CHIEF, RESEARCH & DEVELOPMENT	
VIA:	- EE	50X
SUBJECT:	Drop Zone Beacons	
ance with recent d ing Section of Res that R&D investiga ground reception of parachute operation infra red or other	an urgent need for a dron zone beacon. In accord- liscussions between EE-1 and the Engineer- learch & Development on this subject, it is requested te, test, and produce a suitable beacon for use by a committee in pinpointing or marking a drop zone for least. This beacon should incorporate some sort of technique necessary for covert operation but visible ling up to 10,000 feet and five miles from the target.	50X <sup>2</sup>
	to meet our spring operations requirements it is seacon be developed before 1 February 1952.  , may be contacted for any further information.	50X <sup>-</sup>
	Chief, EE-1	50X <sup>-</sup>
cet		50X1